

## THE MOWER WITH MORE MUSCLE FOR YOUR MONEY.

- **High Horsepower** A 23 horsepower engine from Kawasaki\* to power through thick grass up to 3.1 acres per hour.
- Elite Cutting System Offered in three cutting widths (42", 48", and 54"), the Elite Deck easily cuts large volumes of grass and provides an attractive after-cut appearance.
- **7-Stage Deck Height** Allows you to quickly and easily adjust mowing height for different applications.
- **Hydro-Gear' ZT-2800 Transaxles** Proven and reliable transmissions with an external oil filter for easier maintenance and extended system life.
- Quick-Lift Lock Allows you to quickly raise the deck to avoid objects and locks the deck in travel height for transporting or storing.
- **Steel Fenders** Built with 14-gauge steel, the fenders protect the body and fuel tank from damage.
- Industry Leading Warranty Backed with a three year warranty with unlimited hours of residential use and industry leading lifetime warranties.



**Steel Fenders -** Protects fuel tank from sun and impact damage



**Hydro-Gear ZT-2800 -** Smooth operation and fully serviceable



**42", 48", & 54" Elite Cutting System -** Formed and welded 10-ga deck shell



**Commercial Forks -** Greaseable and lifetime warranty against breakage



**Comfort Ride -** Plush cushioned seat with armrests for extra comfort



\*Unlimited hour limited residential warranty, see dealer for complete warranty details







	42" Deck	48" Deck	54" Deck
Model	2342KW	2348KW	2354KW
Engine			
Manufacturer	Kawasaki* FR		
Horsepower	23		
Displacement	726cc		
Air-cleaner	2 stage		
Cooling	Air-cooled Air-cooled		
Starter	Electric		
Engine warranty	3-Year		

<b>Drive System</b>	
<b>Dual hydrostatic</b>	Hydro-Gear® ZT-2800 transaxles (internal expansion tank)
Ground speed	7 mph
Parking brake	Integrated in transaxle
Towing capacity	100 lbs

Mower Deck			
Deck size	42"	48"	54"
Acres/hour*	2.4	2.7	3.1
Cutting height	1.5" - 4.5"		
Deck height adjustments	Manual lift, 1/2" increments		
Deck Quick-Lift	Integrated		
Deck engagement	Ogura® 87 ft-lbs		
Construction	10 ga formed & welded		
Blades	3 - 15.25" x 2.5"	3 - 17.25" × 2.5"	3 - 19.25" x 2.5"
Blade tip speed (approximate)	18,500 fpm		
Spindles	.75" effective diameter machined shaft		
Spindle housings	1pc keyless sealed cast aluminum		
Anti-scalp rollers	4		
Pulleys	Vented split 3/16" steel deep groove		

General				
Battery		12 Volt, 300cca		
Digital display		hour meter		
Fuel capacity	4 gallons			
Rear tires	20 x 8-10 GrassMaster	20 x 10-8 GrassMaster		
Front tires		13 x 6.5-6		
Frame	Welded 1" x 2", 2" x 2" tube, 10 ga formed			
Floor-pan		Removable, steel		
Seat		20" padded seat w/ armrests		

Dimensions			
Overall height	47"		
Overall width (with chute)	51.5" 57.5" 64"		
Overall length	76"		
Weight	730 lbs	750 lbs	763 lbs





## REDEFINING THE RESIDENTIAL MOWER.

- **High Horsepower** A 24 horsepower engine from Kawasaki\* for proven power to tackle through thick grass up to 3.4 acres per hour.
- Full Clipping Control The OCDC comes standard to give you full control of your clippings. Keep grass out of the driveway, flower bed, and more.
- **Superior Comfort** A super plush seat with 360 ISO Mounts give the operator extra comfort for extended mowing periods.
- **Hydro-Gear' Drivetrain** ZT-3100 commercial-grade transaxles offer steel-cut gears, charge pumps, and shock valves for extended drivetrain performance.
- Large Drive Tires 22" rear drive tires provide more speed, stability, and traction when you need it.
- Elite Cutting System Offered in two cutting widths (48" and 54"), the Elite Deck easily cuts large volumes of grass with a manicured finish.
- Industry Leading Warranty Enjoy peace-of-mind with three years of warranty with unlimited hours of residential use and industry leading lifetime warranties.



**Discharge Chute -** Take full control of clippings with the OCDC



**Hydro-Gear ZT-3100 -** Commercial duty drivetrain with serviceable filters



**Proven Power -** 24hp Kawasaki engine for more performance and reliability



**Large Rear Tires -** More traction, more speed, and better stability



**Comfort Ride -** 360 ISO Mount with plush cushion seat for superior comfort



\*Unlimited hour limited residential warranty, see dealer for complete warranty details



	48" Deck	54" Deck	
Model	2448KW	2454KW	
Engine			
Manufacturer	Kawasaki* FR		
Horsepower	24		
Displacement	726cc		
Air-cleaner	2 stage		
Cooling	Air-cooled		
Starter	Electric		
<b>Engine warranty</b>	3-Year		

<b>Drive System</b>		
<b>Dual hydrostatic</b>	Hydro-Gear® ZT-3100 transaxles	
Ground speed	8 mph	
Parking brake	Integrated in transaxle	
Towing capacity	100 lbs	

Mower Deck			
Deck size	48"	54"	
Acres/hour*	3.1	3.4	
Cutting height	1.5" - 4.5"		
Deck height adjustments	Manual lift, 1/2" increments		
Deck Quick-Lift	Integrated		
Deck engagement	Ogura <sup>®</sup> 87 ft-lbs		
Construction	10 ga formed & welded		
Blades	3 - 17.25" × 2.5"	3 - 19.25" x 2.5"	
Blade tip speed (approximate)	18,500 fpm		
Spindles	.75" effective diameter machined shaft		
Spindle housings	1pc keyless sealed cast aluminum		
Anti-scalp rollers	4		
Pulleys	Vented split 3/16" steel deep groove		

General Control of the Control of th			
Battery	12 Volt, 300cca		
Digital display	Hour meter		
Fuel capacity	4 gallons		
Rear tires	22 × 11-10		
Front tires	13 × 6.5-6		
Frame	Welded 1" x 2", 2" x 2" tube, 10 ga formed		
Floor-pan	Removable, steel		
Seat	20" padded seat w/ armrests, ISO 360 Mount		

Dimensions			
Overall height	47"		
Overall width (chute down)	53" 59"		
Overall width (chute up)	57.25"	63.25"	
Overall length	76"		
Weight	775 lbs	788 lbs	

